### Plato North Office 306-604-9031 Admin<sup>.</sup> Rail / EH&S Compliance Specialist Contact. 780-449-9780 Bryan Cava 403-816-1738 Manager, Operations Frank Venden Elsen Contact. Plant Manager Contact: 306-604-9195 Bevan Mann

# **GIBSON ENERGY CONTACTS**

# PLATO NORTH 13-12-30-22 W3M



### 24 HOUR EMERGENCY NUMBER 1-866-553-0111

## ΟΛΕΚΛΙΕΜ

ssacoud that you understand your role in the emergency response that you are aware of their operations in the area and to ensure response plan (ERP). You are being contacted to make certain As part of the public safety process, Gibson Energy has created this information pamphlet and an area specific emergency

registered facility. North Facility has Butane storage bullets, making it an Environment and Climate Change Canada (ECCC), CEPA Located within the R.M. of Kindersley No. 290, Gibson's Plato

m 021	Facility Storage EPZ
1 @ 24'600 N2 Cal	Quantity
8-26-901	CAS Number
ЗИАТИЯ	Substance

### WHY ARE YOU BEING CONTACTED?

:ensue advance preparations to ensure your safety. Gibson would like to Although the probability of an incident is low, Gibson is taking

- 1 You are aware of the Emergency Response Plan and
- 2 You are aware of the Reception Centre(s) and their
- 3 You are advised of methods of communication to be used in

case of an emergency.

contact each business in the immediate area.

HIGH IMPACT - Control of the situation has been lost and presents or has caused a hazard to public, personnel and / or the environment, on or off company property. Immediate multi-agency and provincial government involvement is required.	ГЕЛЕГ 3
MODERATE IMPACT - Public, personnel or the environment are at definite risk and external assistance is required to control the situation. Media coverage is possible and the incident has an effect outside the possible and the incident has an effect outside the company boundaries. External and provincial agencies must be notified.	гелег з
LOW IMPACT - Public, personnel and environment are not at serious risk and on-site personnel can control the incident. The incident is usually confined to the company.	רבאבר ו
ON-SITE ONLY - Immediate control of the hazard with progressive resolution of the solution. There is no risk to the public or environment as the incident is contained to the site.	АГЕВТ

In some cases, there may be concern that evacuation would expose people to greater hazard than it they remain in their homes. Buildings provide a supply of clean indoor air to dilute containnated air that infiltrates from outdoors, thus reducing the concentrations to which the occupants are exposed. Therefore sheltering may be considered as an alternative to evacuations for short durations.

- Drive safely on the route provided, proceed directly to the reception centre and check in with the representative.
- .episiuo Turn down thermostat and shut off any air exchange fans to

If it is necessary to evacuate, you will be contacted by telephone immediately. If you require voluntary evacuation assistance, have special needs considerations, or if there is no answer to our telephone calls, Gibson will dispatch personnel to your residence or tesidence that residentations include residents who may require transportation. The steps below should be followed if "Evacuation" procedures have have health or respiratory problems. • Gather all residents and bring any medicines required.

Once the building is completely ventilated, return all equipment to normal settings and operation.

After the hazardous substance has passed through the area, you will receive an "all-clear" message from Gloson emergency response personnel You may also receive, if required, instructions to: • Ventilate your building by opening all windows and doors, turning on fans, and turning up thermostats. During the sit on fans, and turning up thermostats.

Even if you see people outside, do not leave until told to do so.

Avoid using the telephone, except for emergencies, so that can be contacted by Gibson emergency response

Turn down furnace thermostats to the minimum setting, turn off air

Extinguish indoor wood burning fires, close flue dampers

If you are advised to stay sheltered, do not leave your house or attempt to start any vehicles until a Gibson representative advises you that it is safe to do so. The following steps should be taken if "Shelter-In-Place"

PUBLIC PROTECTION MEASURES

POTENTIAL HEALTH IMPACTS

 Butane in its natural state is colorless with a petroleum-like odor. · Butane is easily ignited and it's vapors are heavier than air. Any

Vapors may cause dizziness or asphyxiation without warning. Contact with gas or liquefied gas may cause burns, severe injury and/or

POTENTIAL HEALTH EFFECTS OF BUTANE

The gas does not affect the skin. Contact with liquefied gas escaping from its high pressure cylinder may cause frostbite. Symptoms of mild frostbite include numbness, prickling and itching in the affected area. Symptoms of more severe frostbite include a burning sensation and stiffness of the affected area. The skin may become waxy white or yellow. Blistering, tissue death and gangrene may also develop in severe cases.

Close-range contact with liquefied gas may cause injury

• Under prolonged exposure to fire or heat the containers may

frostbite. Fire may produce irritating and/or toxic gases.

Tightly close windows and outside doors. If convenient, tape the gaps around the exterior door frames.

□ Draws in outdoor air, such as:
◆ Heating ventilation and air conditioning (HVAC) systems
◆ Fans for heat recovery ventilators or energy recovery

Wait in an interior room upstairs for further instruction.

while ventilating.

If you are unable to follow these instructions, please notify Gibson emergency response personnel.

Call Gibson if you are experiencing symptoms or smelling odours

so that you

BUTANE

Skin

Properties of Butane:

leak can be either liquid or vapor

HAZARD

FIRST AID

rupture violently and rocket. Potential Health Effects of Butane:

Gather all residents and bring any medicines required.

ΡΩΟΣΕDURE FOR EVACUATION

(so that they can coordinate a response).

Clothes dryers
Gas fire places and stoves.

Turn off appliances or equipment that either:

SHELTER-IN-PLACE PROCEDURE

Immediately gather everyone indoors and stay there.

 Built in vacuum systems Bathroom and kitchen exhaust fans
Bathroom and kitchen exhaust fans

Leave all inside doors open.

ventilators.

procedures have been implemented:

conditioners.

.9Idissoq

•

Wait for further instruction.

# sheltering may be considered as an alternative to evacuations for

Lock all windows and doors.

### out under the direction of authorized emergency personnel. impact members of the public, an evacuation will be carried If environmental monitoring indicates that the release may

safely move you away from the source and out of harm's way. If you are directed to evacuate, follow the instructions that will (g

representative, the municipality, or the ER for evacuation instructions. For major incidents, a special number may be

also contact the ER (see front panel) and report the odour. Immediate action will be taken by the ER to determine the

personnel, call their 24-hour emergency number. You may Notify Gibson personnel via the contact information found on the front of this pamphlet. If unable to contact Gibson

DO NOT use any forms of ignition (lighters, fire places, wood

the furnace, and thermostat immediately. In the summer, turn

If you are indoors, close all doors and windows and turn down

**OD OT TAHW** 

NOTES

4) If you are considering leaving the area, contact the licensee

sare piace. register at a reception centre that is located in a secure and You will also be provided with instructions to check in and

### ΕΑΡΓΥ ΝΟΤΙΓΙCΑΤΙΟΝ

provided, which should be called.

source of the odour.

off all air conditioning.

stoves, etc.).

(S

3)

(2

(۱

telephone on-site and / or residents who have health or who may require transportation, residents who do not have a downwind residents and residents with special needs considerations. Special needs considerations include residents At any level of emergency, Gibson responders will contact

respiratory problems.

of the situation. answer to our telephone calls, Gibson will dispatch personnel to your residence or business to verify your location and inform you If you require voluntary evacuation assistance or if there is no

concentrations to which the occupants are exposed. Therefore In some cases, there may be concern that evacuation would expose people to greater hazard than if they remain in their homes. Buildings provide a supply of clean indoor air to dilute contaminated air that infiltrates from outdoors, thus reducing the

would likely be set up at one of the locations identified on the front

In the event the EPZ had to be evacuated, a reception centre

an update of the situation and instructed on which precautions to take. Emergency Awareness Zone (EAZ) is identified on the map Emergency Planning Zone (EPZ) to keep traffic out of the hazard area. Residents in the immediate area would be contacted, given At any level of emergency, roadblocks would be set up around the

EMERGENCY PROCEDURES

tor reference purposes only.

snon aurations.

of this pamphlet.

# understand how it tunctions.

- locations.

Gibson obtains the confidential\* information it may need to

# **LEVELS OF EMERGENCY**

	accumulation and extreme redness. Tissue death and			
	gangrene may also develop.		GOVERNMENT CO	NTACTS
Inhalation	HAZARD At high concentrations it can displace oxygen and cause asphyxiation. Inhalation of this product may cause respiratory tract irritation and Central Nervous System (CNS) depression, symptoms of which may include: weakness, dizziness, slurred speech, drowsiness, unconsciousness, and in cases of severe exposure, coma and death. FIRST AID		Environment & Climate Change Canada SK Ministry of Energy & Resources (ER R.M. of Kindersley No. 290 This Information Pamphlet is Environmen	) 24 Hr: 844-764-3637 Office: 306-463-2524
	If symptoms are experienced, remove source of contamination or move victim to fresh air and obtain medical advice.			NTRES
	HAZARD Contact with liquefied gas escaping its high pressure cylinder may cause freezing of the eye. Permanent eye damage of blindness could result.		Super 8 508 12 Avenue East, Kindersley, SK	Contact: 306-463-8218
Eye	damage of blindness could result.		<b>Travelodge</b> 215 11 Ave West, Kindersley, SK	Contact: 306-463-2664
_,.	Brieffy flush eyes with lukewarm, gently flowing water. DO NOT attempt to re-warm the affected area. DO NOT rub the area or apply direct heat. Loosely cover the area affected with a sterile dressing. DO NOT allow victim to dirink alcohol or smoke. Quickly transport victim to emergency care		Prairieland Community Centre 216 McPherson Street, Kerrobert, SK	Contact: 306-834-2361
	or smoke. Quickly transport victim to emergency care facility.		CLICK BEFORE Prior to digging, trenching, etc., please contact Lin Saskatchewan Firs 866-828-488	pounding posts, ne Locators: st Call at 38
GIBSO	N ENERGY 24 HOUR EMERGENCY NUMBER 1-866-553-0111	GIBSON ENERGY 24 HOUR EMERGENCY NUMBER 1-866-553-0111	We will be happy to advise y activity contains any of our	

